



SAS SEALTRON® 1098

Prepared according to U.S. OSHA, CMA, ANSI, Canadian WHMIS, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Union REACH Regulation

PRODUCT NAME:	SAS SEALTRON® 1098
CHEMICAL FAMILY NAME:	Cured Silicone - Copper Reinforced Elastomer
PRODUCT DESCRIPTION:	Copper Reinforced Silver Plated Copper filled Silicones are of the highest performers for Shielding Effectiveness. These elastomers are highly conductive, and meet levels of shielding that are not able to be achieved by most conductive elastomers. Specifically designed with an expanded copper foil within the profile to reduce cold flow. Recommend for applications that have controlled environments, due to some incompatibility with dissimilar metals with regard to galvanic corrosion. These materials are 80 durometer
U.N. NUMBER:	None
U.N. DANGEROUS GOODS CLASS:	Non-Regulated Material
SUPPLIER/MANUFACTURER'S NAME:	SAS Industries Inc.
ADDRESS:	100 Corporate Drive, Elizabeth City, NC 27909, USA
EMERGENCY PHONE:	Toll-Free in USA/Canada 1-800-424-9300 Chemtrec
BUSINESS PHONE:	(631)-727-1441 (Product Information)
DATE OF PREPARATION:	8-Jul-20
DATE OF LAST REVISION:	5-Mar-20

Product Description	This product is a Cured Silicone - Coppe the elastomeric structure	r Reinforced Elastomer with no odor. All ingredients are encapsulated in
Health Hazards :		to cause any adverse health effects. Inhalation of fumes from burning ion effects with cough, discomfort, difficulty breathing, or shortness of
Flammability Hazards:	This product is Non- Flammable with a f	lash point of >204°C (>399°F).
Reactivity Hazards:	None known.	
Environmental Hazards:	The environmental effects of this product significant adverse effects.	have not been investigated; however it is not expected to cause
Emergency Considerations:	Emergency responders must wear the pro equipment) suitable for the situation to w	per personal protective equipment (and have appropriate fire-suppression hich they are responding.
US DOT SYMBOLS	CANADA (WHMIS) SYMBOLS	GHS Hazard Symbols Signal Word:
Non-Regulated	Classified per WHMIS 2015	None Applicable None applicable

### GHS LABELING AND CLASSIFICATION:

NOTE: This product is classified as an "article" according to Title 29 of the Code of Federal Regulations, OSHA Part 1910.1200 and the European Union Council Directives 67/548/EEC and subsequent Directives in 76/768/EEC

"Article means a manufactured item other than a fluid or particle, which is formed to a specific shape or design during manufacture which has end use function dependent in whole or in part upon its shape or design during end use, and which under normal conditions of use does not release more than very small quantities or trace amounts of a hazardous chemical, and does not pose a physical hazard or health risk to employees." This product is stable, and poses no immediate hazard to health.

### Classification of the substance or mixture according to Annex VI

Classification of the substance or mixture according to Annex VI EC 231-072-3 Annex VI Index # 013-001-00-6 Remainder of the ingredients are listed in Annex VI Substances not listed either individually or in group entries must be self classified.

#### COMPONENTS DETERMINING HAZARDS: None applicable GHS Hazard Classification(s): Not Classified Hazard Statement(s): None applicable Prevention Statement(s): None applicable Response Statement(s): None applicable Storage Statement(s): None applicable Disposal Statement(s): None applicable OTHER HAZARDS: None applicable





0

BODY

See Sect 8

Ш

#### SAS SEALTRON® 1098

## SECTION 3 - COMPOSITION and INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS:	CAS #	EINECS #	ICSC #	WT %	GHS CLASSIFICATION
Silver Plated Copper	Mixture	Not Listed	Not Listed	30 - 75%	NOT CLASSIFIED
Copper	7440-50-8	231-159-6	240	80 - 90%	NOT CLASSIFIED
Silver	7440-22-4	231-131-3	0810	10 - 40%	AQUATIC ACUTE/CHRONIC CAT 1
Methylvinylpolysiloxane	68083-18-1	614-273-4	Not Listed	25 - 35%	NOT CLASSIFIED
Titanium Dioxide	13463-67-7	236-675-5	Not Listed	< 0.5%	NOT CLASSIFIED
Black Iron Oxide	1317-61-9	215-277-5	Not Listed	< 0.5%	NOT CLASSIFIED
Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).					

## SECTION 4 - FIRST-AID MEASURES

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention if irritation develops.

SKIN CONTACT: Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists. Remove contaminated clothing.

INHALATION: If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions.

Seek medical attention if breathing dificulty continues.

INGESTION: If product is swallowed, call physician or poison control center for most current information. If professionaladvice is not available,

do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow.

Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None known

RECOMMENDATIONS TO PHYSICIANS: Treat symptoms and reduce over-exposure.

## **SECTION 5 - FIRE-FIGHTING MEASURES**

### FLAMMABLE LIMITS (in air by volume, %): Lower (LEL): Not Applicable Upper (UEL): Not Applicable

FIDE EXTINCTION MATERIALS	· / 11				
FIRE EXTINGUISHING MATERIALS:	As appropriate for surrounding fire condition. Carbon dioxide, foam, dry				
	chemical, halon, water spray, sand, limestone powder.				
UNUSUAL FIRE AND EXPLOSION	This product is non-flammable with no known explosion hazards.				
HAZARDS:					
Explosion Sensitivity to Mechanical Impact:		Not Sensitive.			
Explosion Sensitivity to Static Discharge:	Not Sensitive.				
SPECIAL FIRE-FIGHTING PROCEDURES:	SPECIAL FIRE-FIGHTING PROCEDURES: Inc		Incipient fire responders should wear eye protection. Structural		
		firefighters must wear S	elf-Contained Breathing Apparatus	and full	
		protective equipment. Is	olate materials not yet involved in t	he fire and	
		protect personnel. Move	containers from fire area if this can	be done	
		without risk; otherwise,	cool with carefully applied water sp	ray. If possible,	
		prevent runoff water fro	n entering storm drains, bodies of v	vater, or other	
NFPA RATING SYSTEM		environmentally sensitiv	•	·	
0	HAZARDOUS MATERIAL IDENTIFICATION SYSTEM				
HEALTH 1 0 REACTIVE	TY HEALTH HAZARD (BLUE)				
	FLAMMABILITY HAZARD (RED)				
	РН	PHYSICAL HAZARD (YELLOW)			
OTHER					
	PROTECTIVE EQUIPMENT EYES RESPIRATORY HANDS				
		EIES	RESPIRATORY	HANDS	

For Routine Industrial Use and Handling Applications

See Sect 8

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard



SAS SEALTRON® 1098



## SECTION 6 - ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: Wear suitable

protective clothing, gloves and eye/face protection. Evacuate personnel to safe areas. Do not touch or walk through spilled material.

ENVIRONMENTAL PRECAUTIONS: Construct a dike to prevent spreading. Runoff from fire control or dilution water may cause pollution. Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

SPILL AND LEAK RESPONSE: Pick-up spilled article for re-use, recycling or disposal. This product contains Silver and Aluminum and must be disposed of properly.

Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations)

## **SECTION 7 - HANDLING and STORAGE**

PRECAUTIONS FOR SAFE HANDLING: Wash thoroughly after handling this product. STORAGE AND HANDLING PRACTICES: Store in a cool, dry well-ventilated area below 115°F. Protect from physical damage.

SPECIFIC USES:

S: Copper Reinforced Silver Plated Copper filled Silicones are of the highest performers for Shielding Effectiveness. These elastomers are highly conductive, and meet levels of shielding that are not able to be achieved by most conductive elastomers. Specifically designed with an expanded copper foil within the profile to reduce cold flow. Recommend for applications that have controlled environments, due to some incompatibility with dissimilar metals with regard to galvanic corrosion. These materials are 80 durometer

## SECTION 8 - EXPOSURE CONTROLS - PERSONAL PROTECTION

## **EXPOSURE LIMITS/GUIDELINES:**

Chemical Name	CAS #	ACGIH TWA	OSHA TWA	WEEL
Copper	7440-50-8	0.2 mg/m <sup>3</sup> (fumes); 1 mg/m <sup>3</sup> (dust)	0.2 mg/m3 (fumes); 1 mg/m3 (dust)	0.2 mg/m <sup>3</sup> (fumes); 1 mg/m <sup>3</sup> (dust)
Silver	7440-22-4	0.1 mg/m <sup>3</sup>	0.1 mg/m <sup>3</sup>	0.1 mg/m <sup>3</sup>
-	-	-	-	-

Currently, International exposure limits are not established for the components of this product. Please check with competent authority in each country for the most recent limits in place.

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above. Use local exhaust ventilation to control airborne vapor. Ensure eyewash/safety shower stations are available near areas where this product is used.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

RESPIRATORY PROTECTION: Not normally required with this product. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

EYE PROTECTION: Safety glasses or chemical goggles as appropriate to prevent eye contact. If necessary, refer to U.S. OSHA 29 CFR 1910.133 or appropriate Canadian Standards

SKIN PROTECTION: Use chemical resistant gloves to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138 or appropriate Standards of Canada or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.



## SAS SEALTRON® 1098



Not Applicable

Upper (UEL):

### SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Solid

PHYSICAL STATE:
APPEARANCE & ODOR:
ODOR THRESHOLD (PPM):
FLASH POINT:
FLAMMABLE LIMITS (in air by volume, %):
AUTOIGNITION TEMPERATURE:
VAPOR PRESSURE (mmHg):
DENSITY:
EVAPORATION RATE (nBuAc = 1):
BOILING POINT (C°):
FREEZING POINT (C°):
pH:
SPECIFIC GRAVITY 20°C: (WATER =1):
SOLUBILITY IN WATER (%):
VISCOSITY:
EXPLOSIVE PROPERTIES:
OXIDISING PROPERTIES:

Tan-Brown with no odor None >204°C (>399°F) Lower (LEL): Not Applicable Not Available Non-Soluble Not Available Not Available Not Available

Not Applicable

### SECTION 10 - STABILITY AND REACTIVITY

REACTIVITY: STABILITY: DECOMPOSITION PRODUCTS: MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: HAZARDOUS POLYMERIZATION: CONDITIONS TO AVOID: Product is not reactive Product is stable When heated to decomposition this product produces obnoxious and toxic fumes None known Will not occur.

# Heat and open flame

## SECTION 11 - TOXICOLOGICAL INFORMATION

TOXICITY DATA: Toxicity data is not available for this product:

Acute toxicity Skin corrosion / irritation

Serious eye damage / irritation

Respiratory or skin sensitization

Germ cell mutagenicity Carcinogenicity

Reproductive toxicity

STOT-single exposure

STOT-repeated exposure

Aspiration hazard
SUSPECTED CANCER AGENT:

**IRRITANCY OF PRODUCT:** 

SENSITIZATION OF PRODUCT:

Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

None of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore is not considered to be, nor suspected to be a cancer-causing agent by these agencies. Contact with this product may be irritating to exposed skin and eyes. This product is not considered a skin sensitizer. No information concerning the effects of this product and its components on the human reproductive system.

## SECTION 12 - ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

TOXICITY: No specific data available on this product.

REPRODUCTIVE TOXICITY INFORMATION:

PERSISTENCE AND DEGRADABILITY: No specific data available on this product.

BIOACCUMULATIVE POTENTIAL: No specific data available on this product.

MOBILITY IN SOIL: No specific data available on this product.

RESULTS OF PBT AND vPvB ASSESSMENT: No specific data available on this product.

OTHER ADVERSE EFFECTS: No specific data available on this product.

WATER ENDANGERMENT CLASS: May be water endangering in accordance with EU Guideline 91/155-EWG. Do not allow

product to reach ground water, water course or sewage system. At present there are no ecotoxicological assessments for this

product.

No LD50 Data Available





SAS SEALTRON® 1098

### **SECTION 13 - DISPOSAL CONSIDERATIONS**

PREPARING WASTES FOR DISPOSAL: Waste disposal must be in accordance with appropriate Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan. RCRA WASTE CODE: None known EU WASTE CODE: None known

### SECTION 14 - TRANSPORTATION INFORMATION

US DOT; IATA; IMO; ADR: THIS PRODUCT IS NOT CLASSIFIED AS DANGEROUS GOODS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION.

PROPER SHIPPING NAME: Non-Regulated Material HAZARD CLASS NUMBER and DESCRIPTION: None UN IDENTIFICATION NUMBER: None PACKING GROUP: None DOT LABEL(S) REQUIRED: None NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2016): None MARINE POLLUTANT: This product does not contain ingredients that are classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101, Appendix B)

 TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS:

 This product is not classified as Dangerous Goods, per regulations of Transport Canada.

 INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA):

 This product is not classified as Dangerous Goods, by rules of IATA:

 INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION:

 This product is not classified as Dangerous Goods by the International Maritime Organization.

 EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR):

This product is not classified by the United Nations Economic Commission for Europe to be dangerous goods.

### **SECTION 15 - REGULATORY INFORMATION**

## UNITED STATES REGULATIONS

SARA REPORTING REQUIREMENTS: This product is subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act., as follows: None

TSCA: All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

SARA 311/312: Acute Health: No Chronic Health: No Fire: No Reactivity: No

U.S. SARA THRESHOLD PLANNING QUANTITY:

The default Federal SDS submission and inventory require there are no specific Threshold Planning Quantities for this product. U.S. CERCLA REPORTABLE QUANTITY (RQ): None

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65):

Chemical Name	CAS-No	California Prop. 65
Titanium Dioxide	13463-67-7	Carcinogen
-	-	-

CANADIAN REGULATIONS:

CANADIAN DSL/NDSL INVENTORY STATUS: All of the components of this product are on the DSL Inventory

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS: No component of this

product is on the CEPA First Priorities Substance Lists.

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: Classified per WHMIS 2015.

EUROPEAN ECONOMIC COMMUNITY INFORMATION:

EU LABELING AND CLASSIFICATION:

Classification of the mixture according to Regulation (EC) No 1272/2008. See section 2 for details.

AUSTRALIAN INFORMATION FOR PRODUCT:

AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS) STATUS: All components of this product are listed on the AICS.

STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS AND POISONS: Not applicable.

JAPANESE INFORMATION FOR PRODUCT:

JAPAN INDUSTRIAL SAFETY AND HEALTH LAW: This product has been classified per the Japan Industrial Safety and Health Law. See Section 2 for the GHS Classification.

INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

Listing of the components on individual country Chemical inventories is as follows.			
Asia-Pac:	All ingredients Listed or Exempt		
Australian Inventory of Chemical Substances (AICS):	All ingredients Listed or Exempt		
Korean Existing Chemicals List (ECL):	All ingredients Listed or Exempt		
Japanese Existing National Inventory of Chemical Substances (ENCS):	All ingredients Listed or Exempt		
Philippines Inventory if Chemicals and Chemical Substances (PICCS):	All ingredients Listed or Exempt		
Swiss Giftliste List of Toxic Substances:	All ingredients Listed or Exempt		
U.S. TSCA:	All ingredients Listed or Exempt		



SAS SEALTRON® 1098



## **SECTION 16 - OTHER INFORMATION**

PREPARED BY: Mark Derr - SAS Industries Inc.

The supplier disclaims all expressed or implied warranties of fitness or merchantability for a specific use, with respect to the product, or the information provided herein, except for conformation to contracted specifications. All information appearing herein is based upon data obtained from manufacturer

and/or recognized technical sources. While the information is believed to be accurate, we make no recognized technical sources. While the information is believed to be accurate, we make no representations as to its accuracy or sufficiency. Conditions of use are beyond our control, and therefore users

are responsible for verifying the data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. Users also assume all risks in regards to the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or process.