

SAS SEALTRON® 1155

Prepared according to U.S. OSHA, CMA, ANSI, Canadiar	WHMIS, Australian WorkSafe, Japanese Industrial Standard JIS 2	7250:2000 and European Union REACH Regulation
riepared according to 0.3. OSTIA, CNIA, ANSI, Calladian	i witivii3, Australiali work3ale, Japallese liidustilai Stalidalu Ji3 z	2 72 50. 2000, and European Onion REACTI Regulation

	SECTION 1 - PRODUCT AND COMPAN	Y IDENTIFICATION		
PRODUCT NAME:	SAS SEALTRON® 1155			
CHEMICAL FAMILY NAME:	Cured Fluorosilicone Elastomer	Cured Fluorosilicone Elastomer		
PRODUCT DESCRIPTION:	resistance, combined with Extremely High Shiel galvanic compatibility of all elastomers. The physical structure of the struc	e the most commonly chosen conductive fluoroelastomers. Excelle ling Performance, light weight, excellent electrical conductivity, ar sical and electrical characteristics of our 115X Series meet or exc lurometer (50 +/- 7) version for low closure force / high conformat	nd the highest eed all Military	
J.N. NUMBER:	None			
J.N. DANGEROUS GOODS CLASS:	Non-Regulated Material			
SUPPLIER/MANUFACTURER'S NAME:	SAS Industries Inc.			
ADDRESS:	100 Corporate Drive, Elizabeth City, NC	27909, USA		
EMERGENCY PHONE:	Toll-Free in USA/Canada 1-800-424-	9300 Chemtrec		
BUSINESS PHONE:	(631)-727-1441 (Product Information)			
DATE OF PREPARATION:	8-Jul-20			
DATE OF LAST REVISION:	5-Mar-20			
	SECTION 2 - HAZARDS IDEN	TIFICATION		
EMERGENCY OVERVIEW	This mechanics of Cured Electron Di	ntomon with no odon. All incredients one or second static	the electomenic	
Product Description	structure	This product is a Cured Fluorosilicone Elastomer with no odor. All ingredients are encapsulated in the elastomeric structure		
Health Hazards :	1 1	to cause any adverse health effects. Inhalation of fumes fi on effects with cough, discomfort, difficulty breathing, or		
Flammability Hazards:	This product is Non- Flammable with a fl	ash point of >204°C (>399°F).		
Reactivity Hazards:	None known.			
Environmental Hazards:	The environmental effects of this product significant adverse effects.	have not been investigated; however it is not expected to	cause	
Emergency Considerations:	Emergency responders must wear the pro equipment) suitable for the situation to w	per personal protective equipment (and have appropriate nich they are responding.	fire-suppression	
US DOT SYMBOLS	CANADA (WHMIS) SYMBOLS	GHS Hazard Symbols	Signal Word:	
Non-Regulated	Classified per WHMIS 2015	None Applicable	None applicable	
		\checkmark		
GHS LABELING AND CLASSIFICATION:	en fontiale? according to Title 20 - Citle Colds C.T. 1	1 Deconlations		
	an "article" according to Title 29 of the Code of Federa			
OSHA Part 1910.1200 and the Europ	ean Union Council Directives 67/548/EEC and subsequent E	irectives in 767/68/EEC		
"Article means a manufactured item of	ther than a fluid or particle, which is formed to a specific sha	pe or design		
	e function dependent in whole or in part upon its shape or des			
	ditions of use does not release more than very small quantitie			
	l does not pose a physical hazard or health risk to employees.			

This product is stable, and poses no immediate hazard to health.

Classification of the substance or mixture according to Annex VI

Classification of the substance or mixture according to Annex VI EC 231-072-3 Annex VI Index # 013-001-00-6 Remainder of the ingredients are listed in Annex VI Substances not listed either individually or in group entries must be self classified.

COMPONENTS DETERMINING HAZARDS:	None applicable
GHS Hazard Classification(s):	Not Classified
Hazard Statement(s):	None applicable
Prevention Statement(s):	None applicable
Response Statement(s):	None applicable
Storage Statement(s):	None applicable
Disposal Statement(s):	None applicable
OTHER HAZARDS:	None applicable





0

BODY

See Sect 8

SAS SEALTRON® 1155

SECTION 3 - COMPOSITION and INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS:	CAS #	EINECS #	ICSC #	WT %	GHS CLASSIFICATION
Silver Plated Aluminum	Mixture	Not Listed	Not Listed	30 - 75%	NOT CLASSIFIED
Aluminum Metal	7429-90-5	231-072-3	0988	60 - 90%	PYROPHORIC SOLID CAT 1, WATER-REACT CAT 2
Silver	7440-22-4	231-131-3	0810	10 - 40%	AQUATIC ACUTE/CHRONIC CAT 1
Fluoropropyl-methylvinyl-siloxane	63148-56-1	613-151-8	Not Listed	10 - 35%	AQUATIC CHRONIC CAT 2
Titanium Dioxide	13463-67-7	236-675-5	Not Listed	< 0.5%	NOT CLASSIFIED
Black Iron Oxide	1317-61-9	215-277-5	Not Listed	< 0.5%	NOT CLASSIFIED

SECTION 4 - FIRST-AID MEASURES

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention if irritation develops.

SKIN CONTACT: Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists. Remove contaminated clothing.

INHALATION: If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions.

Seek medical attention if breathing dificulty continues.

INGESTION: If product is swallowed, call physician or poison control center for most current information. If professionaladvice is not available,

do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow.

Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None known

RECOMMENDATIONS TO PHYSICIANS: Treat symptoms and reduce over-exposure.

SECTION 5 - FIRE-FIGHTING MEASURES

FLAMMABLE LIMITS (in air by volume, %): Lower (LEL): Not Applicable Upper (UEL): Not Applicable

	TERMININGEE EINITTS (III all by volume, 70): E0	er (EEE). Not Applicable Opper (OEE). Not Applicable		
	FIRE EXTINGUISHING MATERIALS:	As appropriate for surrounding fire condition. Carbon dioxide, foam, dry		
		chemical, halon, water spray, sand, limestone powder.		
	UNUSUAL FIRE AND EXPLOSION	This product is non-flammable with no known explosion hazards.		
	HAZARDS:			
	Explosion Sensitivity to Mechanical Impact:	Not Sensitive.		
	Explosion Sensitivity to Static Discharge:	Not Sensitive.		
	SPECIAL FIRE-FIGHTING PROCEDURES:	Incipient fire responders should wear eye protection. Structural		
		firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other		
	NFPA RATING SYSTEM	environmentally sensitive areas.		
	0	HAZARDOUS MATERIAL IDENTIFICATION SYSTEM		
HEALTH REACTIVITY		HEALTH HAZARD (BLUE)		
	<u> </u>	FLAMMABILITY HAZARD (RED)		
	OTHER	PHYSICAL HAZARD (YELLOW)		
	OTHER	PROTECTIVE EQUIPMENT		

EYES

For Routine Industrial Use and Handling Applications

RESPIRATORY

See Sect 8

HANDS

Ш

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard



SAS SEALTRON® 1155



SECTION 6 - ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: Wear suitable

protective clothing, gloves and eye/face protection. Evacuate personnel to safe areas. Do not touch or walk through spilled material.

ENVIRONMENTAL PRECAUTIONS: Construct a dike to prevent spreading. Runoff from fire control or dilution water may cause pollution. Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

SPILL AND LEAK RESPONSE: Pick-up spilled article for re-use, recycling or disposal. This product contains Silver and Aluminum and must be disposed of properly.

Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations)

SECTION 7 - HANDLING and STORAGE

PRECAUTIONS FOR SAFE HANDLING: Wash thoroughly after handling this product. STORAGE AND HANDLING PRACTICES: Store in a cool, dry well-ventilated area below 115°F. Protect from physical damage.

SPECIFIC USES:

Silver Plated Aluminum filled Fluorosilicones are the most commonly chosen conductive fluoroelastomers. Excellent fuel and solvent resistance, combined with Extremely High Shielding Performance, light weight, excellent electrical conductivity, and the highest galvanic compatibility of all elastomers. The physical and electrical characteristics of our 115X Series meet or exceed all Military specifications known. Our 1155 is our medium durometer (50 +/- 7) version for low closure force / high conformance applications.

SECTION 8 - EXPOSURE CONTROLS - PERSONAL PROTECTION

EXPOSURE LIMITS/GUIDELINES:

Chemical Name	CAS #	ACGIH TWA	OSHA TWA	WEEL
Aluminum Metal	7429-90-5	10 mg/m ³	15 mg/m ³	10 mg/m ³
Silver	7440-22-4	0.1 mg/m ³	0.1 mg/m ³	0.1 mg/m ³
-	-	-	-	-

Currently, International exposure limits are not established for the components of this product. Please check with competent authority in each country for the most recent limits in place.

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above. Use local exhaust ventilation to control airborne vapor. Ensure eyewash/safety shower stations are available near areas where this product is used.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

RESPIRATORY PROTECTION: Not normally required with this product. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

EYE PROTECTION: Safety glasses or chemical goggles as appropriate to prevent eye contact. If necessary, refer to U.S. OSHA 29 CFR 1910.133 or appropriate Canadian Standards

SKIN PROTECTION: Use chemical resistant gloves to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138 or appropriate Standards of Canada or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.



SAS SEALTRON® 1155



SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:	Solid			
APPEARANCE & ODOR:	Blue with no odor			
ODOR THRESHOLD (PPM):	None			
FLASH POINT:	>204°C (>399°F)			
FLAMMABLE LIMITS (in air by volume, %):	Lower (LEL):	Not Applicable	Upper (UEL):	Not Applicable
AUTOIGNITION TEMPERATURE:	Not Applicable			
VAPOR PRESSURE (mmHg):	Not Available			
DENSITY:	Not Available			
EVAPORATION RATE (nBuAc = 1):	Not Available			
BOILING POINT (C°):	Not Available			
FREEZING POINT (C°):	Not Available			
pH:	Not Available			
SPECIFIC GRAVITY 20°C: (WATER =1):	Not Available			
SOLUBILITY IN WATER (%):	Non-Soluble			
VISCOSITY:	Not Available			
EXPLOSIVE PROPERTIES:	Not Available			
OXIDISING PROPERTIES:	Not Available			

SECTION 10 - STABILITY AND REACTIVITY

REACTIVITY: STABILITY: DECOMPOSITION PRODUCTS: MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: HAZARDOUS POLYMERIZATION: CONDITIONS TO AVOID: Product is not reactive Product is stable When heated to decomposition this product produces obnoxious and toxic fumes None known Will not occur.

Heat and open flame

SECTION 11 - TOXICOLOGICAL INFORMATION

TOXICITY DATA: Toxicity data is not available for this product:

No LD50 Data Available

Acute toxicity
Skin corrosion / irritation
Serious eye damage / irritation
Respiratory or skin sensitization
Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
STOT-single exposure
STOT-repeated exposure
Aspiration hazard

SUSPECTED CANCER AGENT:

IRRITANCY OF PRODUCT: SENSITIZATION OF PRODUCT: REPRODUCTIVE TOXICITY INFORMATION: Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not met

None of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore is not considered to be, nor suspected to be a cancer-causing agent by these agencies. Contact with this product may be irritating to exposed skin and eyes. This product is not considered a skin sensitizer. No information concerning the effects of this product and its components on the human reproductive system.

SECTION 12 - ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

TOXICITY: No specific data available on this product.

PERSISTENCE AND DEGRADABILITY: No specific data available on this product.

BIOACCUMULATIVE POTENTIAL: No specific data available on this product.

MOBILITY IN SOIL: No specific data available on this product.

RESULTS OF PBT AND vPvB ASSESSMENT: No specific data available on this product.

OTHER ADVERSE EFFECTS: No specific data available on this product.

WATER ENDANGERMENT CLASS: May be water endangering in accordance with EU Guideline 91/155-EWG. Do not allow

product to reach ground water, water course or sewage system. At present there are no ecotoxicological assessments for this

product.





SAS SEALTRON® 1155

SECTION 13 - DISPOSAL CONSIDERATIONS

PREPARING WASTES FOR DISPOSAL: Waste disposal must be in accordance with appropriate Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan. RCRA WASTE CODE: None known EU WASTE CODE: None known

SECTION 14 - TRANSPORTATION INFORMATION

US DOT; IATA; IMO; ADR: THIS PRODUCT IS NOT CLASSIFIED AS DANGEROUS GOODS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION.

PROPER SHIPPING NAME: Non-Regulated Material HAZARD CLASS NUMBER and DESCRIPTION: None UN IDENTIFICATION NUMBER: None PACKING GROUP: None DOT LABEL(S) REQUIRED: None NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2016): None MARINE POLLUTANT: This product does not contain ingredients that are classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101, Appendix B)

 TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS:

 This product is not classified as Dangerous Goods, per regulations of Transport Canada.

 INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA):

 This product is not classified as Dangerous Goods, by rules of IATA:

 INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION:

 This product is not classified as Dangerous Goods by the International Maritime Organization.

 EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR):

This product is not classified by the United Nations Economic Commission for Europe to be dangerous goods.

SECTION 15 - REGULATORY INFORMATION

UNITED STATES REGULATIONS

SARA REPORTING REQUIREMENTS: This product is subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act., as follows: None

TSCA: All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

SARA 311/312: Acute Health: No Chronic Health: No Fire: No Reactivity: No

U.S. SARA THRESHOLD PLANNING QUANTITY:

The default Federal SDS submission and inventory require there are no specific Threshold Planning Quantities for this product. U.S. CERCLA REPORTABLE QUANTITY (RQ): None

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65):

Chemical Name	CAS-No	California Prop. 65
Titanium Dioxide	13463-67-7	Carcinogen
-	-	-

CANADIAN REGULATIONS:

CANADIAN DSL/NDSL INVENTORY STATUS: All of the components of this product are on the DSL Inventory

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS: No component of this

product is on the CEPA First Priorities Substance Lists.

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: Classified per WHMIS 2015.

EUROPEAN ECONOMIC COMMUNITY INFORMATION:

EU LABELING AND CLASSIFICATION:

Classification of the mixture according to Regulation (EC) No 1272/2008. See section 2 for details.

AUSTRALIAN INFORMATION FOR PRODUCT:

AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS) STATUS: All components of this product are listed on the AICS.

STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS AND POISONS: Not applicable.

JAPANESE INFORMATION FOR PRODUCT:

JAPAN INDUSTRIAL SAFETY AND HEALTH LAW: This product has been classified per the Japan Industrial Safety and Health Law. See Section 2 for the GHS Classification.

INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

Eisting of the components on individual country chemical inventories is as follows.		
Asia-Pac:	All ingredients Listed or Exempt	
Australian Inventory of Chemical Substances (AICS):	All ingredients Listed or Exempt	
Korean Existing Chemicals List (ECL):	All ingredients Listed or Exempt	
Japanese Existing National Inventory of Chemical Substances (ENCS):	All ingredients Listed or Exempt	
Philippines Inventory if Chemicals and Chemical Substances (PICCS):	All ingredients Listed or Exempt	
Swiss Giftliste List of Toxic Substances:	All ingredients Listed or Exempt	
U.S. TSCA:	All ingredients Listed or Exempt	



SAS SEALTRON® 1155



SECTION 16 - OTHER INFORMATION

PREPARED BY: Mark Derr - SAS Industries Inc.

The supplier disclaims all expressed or implied warranties of fitness or merchantability for a specific use, with respect to the product, or the information provided herein, except for conformation to contracted specifications. All information appearing herein is based upon data obtained from manufacturer

and/or recognized technical sources. While the information is believed to be accurate, we make no recognized technical sources. While the information is believed to be accurate, we make no representations as to its accuracy or sufficiency. Conditions of use are beyond our control, and therefore users

are responsible for verifying the data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. Users also assume all risks in regards to the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or process.