



SAS SEALTRON® 1247

Prepared according to U.S. OSHA, CMA, ANSI, Canadian WHMIS, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Union REACH Regulation

PRODUCT NAME:	SAS SEALTRON® 1247
CHEMICAL FAMILY NAME:	Cured Ethylene-Propylene Elastomer
PRODUCT DESCRIPTION:	Silver Plated Nickel filled EPDM, the twin Sister to our 1147, is the powerhouse for applications with exposure to solvents which are destructive to silicones and Fluorosilicones and have Steel alloy interfaces. Extremely high Shielding performance, combined with excellent material properties and enhanced galvanic compatibility over most other shielding material choices, our 1247 is a common choice for hardware having CBRN DECON survivability requirements. Our 1247 is our 75 Durometer version of this particle filled elastomer group
U.N. NUMBER:	None
U.N. DANGEROUS GOODS CLASS:	Non-Regulated Material
SUPPLIER/MANUFACTURER'S NAME:	SAS Industries Inc.
ADDRESS:	100 Corporate Drive, Elizabeth City, NC 27909, USA
EMERGENCY PHONE:	Toll-Free in USA/Canada 1-800-424-9300 Chemtrec
BUSINESS PHONE:	(631)-727-1441 (Product Information)
DATE OF PREPARATION:	8-Jul-20
DATE OF LAST REVISION:	5-Mar-20

GENCY OVERVIEW		
Product Description	This product is a Cured Ethylene-Propyle elastomeric structure	ene Elastomer with no odor. All ingredients are encapsulated in the
Health Hazards :		to cause any adverse health effects. Inhalation of fumes from burning tion effects with cough, discomfort, difficulty breathing, or shortness of
Flammability Hazards:	This product is Non- Flammable with a f	lash point of >204°C (>399°F).
Reactivity Hazards:	None known.	
Environmental Hazards:	The environmental effects of this produc significant adverse effects.	t have not been investigated; however it is not expected to cause
Emergency Considerations:	Emergency responders must wear the pro equipment) suitable for the situation to w	oper personal protective equipment (and have appropriate fire-suppression hich they are responding.
US DOT SYMBOLS	CANADA (WHMIS) SYMBOLS	GHS Hazard Symbols Signal Word:
Non-Regulated	Classified per WHMIS 2015	None Applicable None applicab

GHS LABELING AND CLASSIFICATION:

NOTE: This product is classified as an "article" according to Title 29 of the Code of Federal Regulations, OSHA Part 1910.1200 and the European Union Council Directives 67/548/EEC and subsequent Directives in 76/768/EEC

"Article means a manufactured item other than a fluid or particle, which is formed to a specific shape or design during manufacture which has end use function dependent in whole or in part upon its shape or design during end use, and which under normal conditions of use does not release more than very small quantities or trace amounts of a hazardous chemical, and does not pose a physical hazard or health risk to employees." This product is stable, and poses no immediate hazard to health.

Classification of the substance or mixture according to Annex VI

Classification of the substance or mixture according to Annex VI EC 231-072-3 Annex VI Index # 013-001-00-6 Remainder of the ingredients are listed in Annex VI Substances not listed either individually or in group entries must be self classified.

COMPONENTS DETERMINING HAZARDS:	None applicable
GHS Hazard Classification(s):	Not Classified
Hazard Statement(s):	None applicable
Prevention Statement(s):	None applicable
Response Statement(s):	None applicable
Storage Statement(s):	None applicable
Disposal Statement(s):	None applicable
OTHER HAZARDS:	None applicable





0

BODY

See Sect 8

Ш

SAS SEALTRON® 1247

SECTION 3 - COMPOSITION and INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS:	CAS #	EINECS #	ICSC #	WT %	GHS CLASSIFICATION
Silver Plated Nickel	Mixture	Not Listed	Not Listed	30 - 75%	NOT CLASSIFIED
Nickel	7440-02-0	231-111-4	0062	35 - 90%	SKIN SENS CAT 1, CARC. CAT 2, STOT RE CAT 1, AQUATIC CHRONIC CAT 3
Silver	7440-22-4	231-131-3	0810	10 - 40%	AQUATIC ACUTE/CHRONIC CAT 1
EPDM - Ethylene-Propylene-Diene Terpolymer	25038-36-2	Not Listed	Not Listed	10 - 35%	NOT CLASSIFIED
Distillates (Petroleum), Hydrotreated	64742-54-7	Not Listed	Not Listed	1 to 50%	NOT CLASSIFIED
-	-	-	-	-	-

Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

SECTION 4 - FIRST-AID MEASURES

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention if irritation develops.

SKIN CONTACT: Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists. Remove contaminated clothing.

INHALATION: If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions.

Seek medical attention if breathing dificulty continues.

INGESTION: If product is swallowed, call physician or poison control center for most current information. If professionaladvice is not available,

do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow.

Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None known

RECOMMENDATIONS TO PHYSICIANS: Treat symptoms and reduce over-exposure.

SECTION 5 - FIRE-FIGHTING MEASURES

FLAMMABLE LIMITS (in air by volume, %): Lower (LEL): Not Applicable Upper (UEL): Not Applicable

chemical, halon, water spray, sand, linestone powder. UNUSUAL FIRE AND EXPLOSION HAZARDS: Explosion Sensitivity to Mechanical Impact: Explosion Sensitivity to Static Discharge: SPECIAL FIRE-FIGHTING PROCEDURES: Not Sensitive. SPECIAL FIRE-FIGHTING PROCEDURES: Not Sensitive. Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas. HAZARDOUS MATERIAL IDENTIFICATION SYSTEM HEALTH INFORMATING SYSTEM HEALTH HAZARD (BLUE) FLAMMABILITY HAZARD (RED) PHYSICAL HAZARD (YELLOW) PHYSICAL HAZARD (YELLOW) PHYSICAL HAZARD (YELLOW) PHYSICAL HAZARD (YELLOW) PHYSICAL HAZARD (YELLOW) PHYSICAL HAZARD (YELLOW)	FIRE EXTINGUISHING MATERIALS:	As appropriate for surrounding fire condition. Carbon dioxide, foam, dry					
HAZARDS: Explosion Sensitivity to Mechanical Impact: Explosion Sensitivity to Static Discharge: SPECIAL FIRE-FIGHTING PROCEDURES: Not Sensitive. Not Sensitive. Incipient fine responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas. HEALTH HAZARD (BLUE) HEALTH HAZARD (BLUE) MINING SUSTEM OTHER HEALTH HAZARD (YELLOW) MINING SUSTEM MINING SUST							
Explosion Sensitivity to Mechanical Impact: Explosion Sensitivity to Static Discharge: SPECIAL FIRE-FIGHTING PROCEDURES: Not Sensitive. Mot Sensitive. Not Sensitive. Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas. HAZARDOUS MATERIAL IDENTIFICATION SYSTEM HEALTH 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	UNUSUAL FIRE AND EXPLOSION						
Explosion Sensitivity to Static Discharge: SPECIAL FIRE-FIGHTING PROCEDURES: Not Sensitive. Not Sensitive. Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas. HEALTH HEALTH HEALTH HAZARD (BLUE) HEALTH HAZARD (BLUE) DTHER Not Sensitive. Not Sensitive. Notecrive equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas. HAZARDOUS MATERIAL IDENTIFICATION SYSTEM HEALTH HAZARD (BLUE) PHYSICAL HAZARD (RED) PHYSICAL HAZARD (YELLOW)	HAZARDS:						
SPECIAL FIRE-FIGHTING PROCEDURES: Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas. HAZARDOUS MATERIAL IDENTIFICATION SYSTEM HEALTH 1 0 0 0 0 0 0 0 0 0 0 0 0 0	Explosion Sensitivity to Mechanical Impact:		Not Sensitive.				
NFPA RATING SYSTEM HEALTH U U U U U U U U U U U U U	Explosion Sensitivity to Static Discharge:	Not Sensitive.					
NFPA RATING SYSTEM HEALTH 1 0 0 0 0 0 0 0 0 0 0 0 0 0	SPECIAL FIRE-FIGHTING PROCEDURES:	Incipient fire responders should wear eye protection. Structural			ural		
NFPA RATING SYSTEM HEALTH 0 CTHER REACTIVITY 0 0 0 0 0 0 0 0 0 0 0 0 0			firefighters must wear Se	elf-Contained Breathing Apparatus	and full		
NFPA RATING SYSTEM NFPA RATING SYSTEM HEALTH 1 0 0 0 0 0 0 0 0 0 0 0 0 0			protective equipment. Is	olate materials not yet involved in t	he fire and		
NFPA RATING SYSTEM HEALTH 1 0 0 0 0 0 0 0 0 0 0 0 0 0			protect personnel. Move	containers from fire area if this car	n be done		
NFPA RATING SYSTEM environmentally sensitive areas. HAZARDOUS MATERIAL IDENTIFICATION SYSTEM HEALTH 1 0 0 0 0 0 0 0 0 0 0 0 0 0			without risk; otherwise, cool with carefully applied water spray. If possible,				
HEALTH 0 0 0 0 0 0 0 0 0 0 0 0 0			prevent runoff water from	m entering storm drains, bodies of	water, or other		
HEALTH 1 0 REACTIVITY HEALTH HAZARD (BLUE) 	NFPA RATING SYSTEM		environmentally sensitiv	e areas.			
HEALTH HAZARD (BLUE) FLAMMABILITY HAZARD (RED) PHYSICAL HAZARD (YELLOW) PROTECTIVE EQUIPMENT	0		HAZARDOUS MATE	RIAL IDENTIFICATION SYST	EM		
OTHER PROTECTIVE EQUIPMENT		ГҮ					
OTHER PROTECTIVE EQUIPMENT		FL	FLAMMABILITY HAZARD (RED)				
PROTECTIVE EQUIPMENT		РН	PHYSICAL HAZARD (YELLOW)				
	OTHER		PROTECT	IVE FOUIPMENT			
					HANDS		

For Routine Industrial Use and Handling Applications

See Sect 8

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard



SAS SEALTRON® 1247



SECTION 6 - ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: Wear suitable

protective clothing, gloves and eye/face protection. Evacuate personnel to safe areas. Do not touch or walk through spilled material.

ENVIRONMENTAL PRECAUTIONS: Construct a dike to prevent spreading. Runoff from fire control or dilution water may cause pollution. Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

SPILL AND LEAK RESPONSE: Pick-up spilled article for re-use, recycling or disposal. This product contains Silver and Aluminum and must be disposed of properly.

Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations)

SECTION 7 - HANDLING and STORAGE

PRECAUTIONS FOR SAFE HANDLING: Wash thoroughly after handling this product. STORAGE AND HANDLING PRACTICES: Store in a cool, dry well-ventilated area below 115°F. Protect from physical damage.

SPECIFIC USES:

Silver Plated Nickel filled EPDM, the twin Sister to our 1147, is the powerhouse for applications with exposure to solvents which are destructive to silicones and Fluorosilicones and have Steel alloy interfaces. Extremely high Shielding performance, combined with excellent material properties and enhanced galvanic compatibility over most other shielding material choices, our 1247 is a common choice for hardware having CBRN DECON survivability requirements. Our 1247 is our 75 Durometer version of this particle filled elastomer group

SECTION 8 - EXPOSURE CONTROLS - PERSONAL PROTECTION

EXPOSURE LIMITS/GUIDELINES:

Chemical Name	CAS #	ACGIH TWA	OSHA TWA	WEEL
Nickel	7440-02-0	1.5 mg/m ³	1.0 mg/m ³	1.0 mg/m ³
Silver	7440-22-4	0.1 mg/m ³	0.1 mg/m ³	0.1 mg/m ³
-	-	-	-	-

Currently, International exposure limits are not established for the components of this product. Please check with competent authority in each country for the most recent limits in place.

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above. Use local exhaust ventilation to control airborne vapor. Ensure eyewash/safety shower stations are available near areas where this product is used.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

RESPIRATORY PROTECTION: Not normally required with this product. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

EYE PROTECTION: Safety glasses or chemical goggles as appropriate to prevent eye contact. If necessary, refer to U.S. OSHA 29 CFR 1910.133 or appropriate Canadian Standards

SKIN PROTECTION: Use chemical resistant gloves to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138 or appropriate Standards of Canada or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.



SAS SEALTRON® 1247



Not Applicable

Upper (UEL):

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Solid

PHYSICAL STATE: APPEARANCE & ODOR: ODOR THRESHOLD (PPM): FLASH POINT: FLAMMABLE LIMITS (in air by volume, %): AUTOIGNITION TEMPERATURE: VAPOR PRESSURE (mmHg): DENSITY: EVAPORATION RATE (nBuAc = 1): BOILING POINT (C°): FREEZING POINT (C°): pH: SPECIFIC GRAVITY 20°C: (WATER =1): SOLUBILITY IN WATER (%): VISCOSITY: EXPLOSIVE PROPERTIES: **OXIDISING PROPERTIES:**

Tan-Brown with no odor None >204°C (>399°F) Lower (LEL): Not Applicable Not Available Non-Soluble Not Available Not Available Not Available

Not Applicable

SECTION 10 - STABILITY AND REACTIVITY

REACTIVITY: STABILITY: DECOMPOSITION PRODUCTS: MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: HAZARDOUS POLYMERIZATION: CONDITIONS TO AVOID: Product is not reactive Product is stable When heated to decomposition this product produces obnoxious and toxic fumes None known Will not occur.

Heat and open flame

SECTION 11 - TOXICOLOGICAL INFORMATION

TOXICITY DATA: Toxicity data is not available for this product:

No LD50 Data Available

Acute toxicity Skin corrosion / irritation Serious eye damage / irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard

SUSPECTED CANCER AGENT:

IRRITANCY OF PRODUCT: SENSITIZATION OF PRODUCT: REPRODUCTIVE TOXICITY INFORMATION: Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not met

None of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore is not considered to be, nor suspected to be a cancer-causing agent by these agencies. Contact with this product may be irritating to exposed skin and eyes. This product is not considered a skin sensitizer. No information concerning the effects of this product and its components on the human reproductive system.

SECTION 12 - ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

TOXICITY: No specific data available on this product.

PERSISTENCE AND DEGRADABILITY: No specific data available on this product.

BIOACCUMULATIVE POTENTIAL: No specific data available on this product.

MOBILITY IN SOIL: No specific data available on this product.

RESULTS OF PBT AND vPvB ASSESSMENT: No specific data available on this product.

OTHER ADVERSE EFFECTS: No specific data available on this product.

WATER ENDANGERMENT CLASS: May be water endangering in accordance with EU Guideline 91/155-EWG. Do not allow

product to reach ground water, water course or sewage system. At present there are no ecotoxicological assessments for this

product.





SAS SEALTRON® 1247

SECTION 13 - DISPOSAL CONSIDERATIONS

PREPARING WASTES FOR DISPOSAL: Waste disposal must be in accordance with appropriate Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan. RCRA WASTE CODE: None known EU WASTE CODE: None known

SECTION 14 - TRANSPORTATION INFORMATION

US DOT; IATA; IMO; ADR: THIS PRODUCT IS NOT CLASSIFIED AS DANGEROUS GOODS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION.

PROPER SHIPPING NAME: Non-Regulated Material HAZARD CLASS NUMBER and DESCRIPTION: None UN IDENTIFICATION NUMBER: None PACKING GROUP: None DOT LABEL(S) REQUIRED: None NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2016): None MARINE POLLUTANT: This product does not contain ingredients that are classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101, Appendix B)

 TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS:

 This product is not classified as Dangerous Goods, per regulations of Transport Canada.

 INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA):

 This product is not classified as Dangerous Goods, by rules of IATA:

 INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION:

 This product is not classified as Dangerous Goods by the International Maritime Organization.

 EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR):

This product is not classified by the United Nations Economic Commission for Europe to be dangerous goods.

SECTION 15 - REGULATORY INFORMATION

UNITED STATES REGULATIONS

SARA REPORTING REQUIREMENTS: This product is subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act., as follows: None

TSCA: All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

SARA 311/312: Acute Health: No Chronic Health: No Fire: No Reactivity: No

U.S. SARA THRESHOLD PLANNING QUANTITY:

The default Federal SDS submission and inventory require there are no specific Threshold Planning Quantities for this product. U.S. CERCLA REPORTABLE QUANTITY (RQ): None

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65):

Chemical Name	CAS-No	California Prop. 65
Nickel	7440-02-0	Carcinogen
Titanium Dioxide	13463-67-7	Carcinogen

CANADIAN REGULATIONS:

CANADIAN DSL/NDSL INVENTORY STATUS: All of the components of this product are on the DSL Inventory

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS: No component of this

product is on the CEPA First Priorities Substance Lists.

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: Classified per WHMIS 2015.

EUROPEAN ECONOMIC COMMUNITY INFORMATION:

EU LABELING AND CLASSIFICATION:

Classification of the mixture according to Regulation (EC) No 1272/2008. See section 2 for details.

AUSTRALIAN INFORMATION FOR PRODUCT:

AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS) STATUS: All components of this product are listed on the AICS.

STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS AND POISONS: Not applicable.

JAPANESE INFORMATION FOR PRODUCT:

JAPAN INDUSTRIAL SAFETY AND HEALTH LAW: This product has been classified per the Japan Industrial Safety and Health Law. See Section 2 for the GHS Classification.

INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

Listing of the components on individual country chemical inventories is as follows.			
Asia-Pac:	All ingredients Listed or Exempt		
Australian Inventory of Chemical Substances (AICS):	All ingredients Listed or Exempt		
Korean Existing Chemicals List (ECL):	All ingredients Listed or Exempt		
Japanese Existing National Inventory of Chemical Substances (ENCS):	All ingredients Listed or Exempt		
Philippines Inventory if Chemicals and Chemical Substances (PICCS):	All ingredients Listed or Exempt		
Swiss Giftliste List of Toxic Substances:	All ingredients Listed or Exempt		
U.S. TSCA:	All ingredients Listed or Exempt		



SAS SEALTRON® 1247



SECTION 16 - OTHER INFORMATION

PREPARED BY: Mark Derr - SAS Industries Inc.

The supplier disclaims all expressed or implied warranties of fitness or merchantability for a specific use, with respect to the product, or the information provided herein, except for conformation to contracted specifications. All information appearing herein is based upon data obtained from manufacturer

and/or recognized technical sources. While the information is believed to be accurate, we make no recognized technical sources. While the information is believed to be accurate, we make no representations as to its accuracy or sufficiency. Conditions of use are beyond our control, and therefore users

are responsible for verifying the data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. Users also assume all risks in regards to the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or process.